

# THE EVOLUTION OF A REVOLUTION.



## UNIQUE COST EFFICIENCY IN MARINE AND OFFSHORE LIFTING CHALLENGES.

The new RUD ROV-HOOK provides two efficient lifting solutions for demanding marine and offshore applications. Its innovative Up to 25t WLL safety mechanism makes it impossible to accidentally open the hook. At the same time, the additional version, with up to 25 tonnes of WLL, opens up completely new applications. No shedding of loads 100 % crack-tested No snagging From 10t up to 25t WLL Innovative mechanism Twin trigger mechanism: The hook Developed for only opens when both locking mechanisms are pressed simultaneously. the market by the market **Ultimate safety:** Accidental opening of the hook and loss of load are impossible. Safety factor 4:1 (WLL) RUD RFID CONNECT IT Up to 10t WLL

#### **OUR DNVGL-APPROVED** PRODUCTS AT A GLANCE.

Economical, reliable, and safe: RUD is your DNVGL-qualified partner for marine and offshore applications with a comprehensive range of sling and lashing solutions.







#### **CONVINCING ADVANTAGES:**

- The RUD ROV-HOOK eliminates the risk of snagging and accidental rigging.
- The outer profile is smooth with no protruding hook nose.
- Outwards opening safety latch.
- The safety latch intermeshes with the hook nose.
- The safety latch automatically closes when the ROV releases the triggers.
- The safety latch is securely locked in closed position.
- The hook can be operated by all commonly used ROV manipulators, including the grabber.
- The hook safety latch opening and closing can be operated by a single ROV manipulator.
- The hook can be approached at inclined angles up to 30° from the ideal gripping position perpendicular to hook flat side.
- The hook design minimises the time the ROV takes to carry out the attachment/detachment operation.

#### MAKING SAFETY EFFICIENT:

RUD BLUE-ID SYSTEM



Transponder, hardware, software: Identify safety related equipment easily and efficiently during inspections. Document test data in seconds. Save effort, personnel and costs. Good to know: RFID transponders are integrated as standard in defined RUD products.

### AT YOUR SIDE.

WHEN THE GOING GETS TOUGH IN MARINE AND OFFSHORE APPLICATIONS.

Do you have any questions regarding the RUD ROV-HOOK, or would you like to take some advice on any other RUD product?

Our experienced team is prepared to help. Give us a call:

+49 7361 504-1070

We're pleased to serve you.



**RUD-MarineOffshore.com** 

RUD Ketten Rieger & Dietz GmbH u. Co. KG

Friedensinsel 73432 Aalen, Germany

Phone: +49 7361 504-1070 Fax: +49 7361 504-1460 Mail: sling@rud.com

www.rud.com